

Now includes
U.S. Dept. of Energy
Pump Efficiency Index Data

CURVES
CACe1500 REV2



Series A-C e-1500

IN-LINE MOUNTED CENTRIFUGAL PUMP PERFORMANCE CURVES - 60 HZ

TABLE OF CONTENTS

Selection Charts	3
1800 RPM PUMP CURVES	
7" - Size Curves	4-7
9.5" - Size Curves	7-11
11" - Size Curves	11-13
13.5" - Size Curves	13-14
1200 RPM PUMP CURVES	
7" - Size Curves	15-18
9.5" - Size Curves	18-22
11" - Size Curves	22-24
13.5" - Size Curves	24-25
3600 RPM PUMP CURVES	
7" - Size Curves	26-29
9.5" - Size Curves	29-31
11" - Size Curves	31

Centrifugal Pump Energy Efficiency Information




The U.S. Department of Energy introduced Pump Energy Conservation Standards in January of 2016. These standards apply to five styles of clean water pumps in 1800 and 3600 nominal motor speeds. Pump manufacturers must sell only compliant products after January 27, 2020. Compliant products have Pump Efficiency Indexes (PEI) equal to or below 1.0 either in Constant Load (CL) or Variable Load (VL) applications.



In support of the U.S. DOE Pump Energy Conservation Standards, the North American Pump Manufacturers Association, The Hydraulic Institute, introduced its own Energy Rating (ER) Index for clean water pumps which also requires certification of pump manufacturer's test labs. Compliant products have Energy Rating (ER) Indexes above 1.0 either in Constant Load (CL) or Variable Load (VL) applications.



All Bell & Gossett Centrifugal Pump products already comply with U.S. Department of Energy Pump Energy Conservation Standards and Hydraulic Institute Standards for Energy Ratings. Specific PEI and ER data is shown on each pump performance curve where applicable and on the pump nameplate.



For more information, visit <http://bellgossett.com/e-series-pumps/#> or <http://er.pumps.org/ratings/home>

Series A-C e-1500 Selection Charts



















*6" and below requires oversized diameter and angle trim. See manual.












































*6" and below requires oversized diameter and angle trim. See manual.








































*6\" and below requires oversized diameter and angle trim. See manual.







Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating advanced technology solutions to the world's water challenges. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. Our products and services move, treat, analyze, monitor and return water to the environment, in public utility, industrial, residential and commercial building services settings. Xylem also provides a leading portfolio of smart metering, network technologies and advanced analytics solutions for water, electric and gas utilities. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise with a strong focus on developing comprehensive, sustainable solutions.

For more information on how Xylem can help you, go to www.xyleminc.com



Xylem Inc.
2881 East Bayard Street Ext., Suite A,
Seneca Falls, NY 13148
Phone: (800) 453-6777
Fax: (888) 322-5877
www.gouldswatertechnology.com