

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

- Trade name: Electrolyte OX
- Article number: 106084
- Description: Electrolyte for oxygen electrodes
- Product code: scho0016

• 1.2 Relevant identified uses of the substance or mixture and uses advised against:

- Product category: PC21 Laboratory chemicals
- Process category: PROC15 Use as laboratory reagent
- Application of the substance / the preparation: Electrolyte solution

• 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Xylem Analytics Germany GmbH
Dr.-Karl-Slevogt-Str. 1
82362 Weilheim
Germany

Contact: SI Analytics, Mainz
Tel. +49.(0)6131.66.5111

- Further information obtainable from: E-Mail: msds.si@xyleminc.com

- **1.4 Emergency telephone number:** Chemtrec: (USA & Canada) 800-424-9300 (International) 001 703-527-3887

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008:



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

• 2.2 Label elements:

- 2.2.1 Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms: GHS07

- Signal word: Warning

- Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- Precautionary statements:

P280 Wear protective gloves / eye protection / face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

Trade name: Electrolyte OX

(Contd. of page 1)

- P362+P364 Take off contaminated clothing and wash it before reuse.
2.3 Other hazards No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2 Mixture

- Description:
Mixture, consisting of the following components:
Water, trisodium phosphate

Dangerous components:

10101-89-0	Trinatriumphosphat-Dodecahydrat	5-<10%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- After inhalation: Supply fresh air.
- After skin contact:
If skin irritation continues, consult a doctor.
Wash with plenty of water.
Take off contaminated clothing.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Hazards Skin and eye irritation can not be ruled out.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents: The product is not flammable. Extinguishing agent to suit environment.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Phosphorus oxides (e.g. P₂O₅)

5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.
- Additional information
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.
Wear personal protective equipment (see section 8).

6.2 Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Wash off residuals with water.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

Trade name: Electrolyte OX

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Wear personal protective equipment (see section 8)
- Information about fire - and explosion protection: No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- **8.1 Control parameters**
- Ingredients with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- Personal protective equipment:
- General protective and hygienic measures:
Avoid contact with the eyes and skin.
Do not inhale gases / fumes / aerosols.
Take off contaminated clothing and wash it before reuse.
Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:
- Material of gloves
Nitrile rubber, NBR
Recommended thickness of the material: $\geq 0,35$ mm
- Eye protection: Safety glasses
- Body protection: Light weight protective clothing

* SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical properties	
• General Information	
• Appearance:	
Form:	Fluid
Colour:	Colourless
• Odour:	Odourless
• Odour threshold:	Not determined.
• pH-value at 20 °C:	12
• Change in condition	
Melting point/freezing point:	-0,8 °C
Initial boiling point and boiling range:	101 °C
• Flash point:	Not applicable.
• Flammability (solid, gas):	Not applicable.
• Ignition temperature:	
Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

Trade name: Electrolyte OX

(Contd. of page 3)

• Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
• Vapour pressure at 20 °C:	23 hPa
• Density at 20 °C:	1,02 g/cm³
• Relative density	Not determined.
• Vapour density	Not determined.
• Evaporation rate	Not determined.
• Solubility in / Miscibility with water:	Fully miscible.
• Partition coefficient: n-octanol/water:	Not determined.
• Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	1 mm²/s
• 9.2 Other information	No further relevant information available.

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
- Reacts with acids.
- Reacts with light alloys to form hydrogen.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** In case of fire, see section 5.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values relevant for classification:		
10101-89-0 Trinatriumphosphat-Dodecahydrat		
Oral	LD50	7400 mg/kg (Rat) (RTECS)

- Primary irritant effect:
- Skin corrosion/irritation
- Local irritation possible.
- Causes skin irritation.
- Serious eye damage/irritation
- Irritation possible.
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

Trade name: Electrolyte OX

(Contd. of page 4)

* SECTION 12: Ecological information

• 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

• General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• 12.5 Results of PBT and vPvB assessment Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

• Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must comply with the relevant local regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose the special waste.

• European waste catalogue

06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 03 00	wastes from the MFSU of salts and their solutions and metallic oxides
06 03 14	solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13

• Uncleaned packaging:

• Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN-Number

• ADR/RID, ADN, IMDG, IATA Void

• 14.2 UN proper shipping name

• ADR/RID, ADN, IMDG, IATA Void

• 14.3 Transport hazard class(es)

• ADR/RID, ADN, IMDG, IATA

• Class Void

• 14.4 Packing group

• ADR/RID, IMDG, IATA Void

• 14.5 Environmental hazards:

• Marine pollutant: No

• 14.6 Special precautions for user

Not applicable.

• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

• Transport/Additional information:

Not dangerous according to the above specifications.

• UN "Model Regulation":

Void

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006 (REACH)

Printing date 02.02.2017

Version number 3

Revision: 31.01.2017

Trade name: Electrolyte OX

(Contd. of page 5)

* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
- Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- * Data compared to the previous version altered.

— EU —