

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue:
Supersedes edition of

08.11.2005
22.10.2003

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Küvettenreagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: WTW * D-82362 Weilheim * Tel. 0881 / 183-0
FAX 0881 / 1748
Emergency telephone No.: +49 (0)6151/722440 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Sulfuric acid solution.

The percent content of the mercury compound mentioned below refers to the amount of the pure mercury therein.

Hazardous ingredients:

Name according to EC Directives:

CAS-No.	EC No.	EC-Index-No.	Classification	Content:
Mercury(II) sulphate				
7783-35-9	231-992-5	080-002-00-6	T+; R26/27/28 R33 N; R50/53	≥ 0.5 - < 2 %
Sulphuric acid				
7664-93-9	231-639-5	016-020-00-8	C; R35	≥ 50 %

(Full text of R-Phrases in heading 16)

3. Hazards identification

Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No.	250 302
Product name:	WTW-PL cell test COD C1/25 250302 Küvettenreagenz

4. First aid measures

First-aid personnel: ensure self-protection!

After inhalation: fresh air.

If breathing stops: immediately apply mechanical ventilation, if necessary oxygen mask.

Immediately call in physician.

After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400.

Immediately remove contaminated clothing. Call in physician.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Immediately call in ophthalmologist.

After swallowing: make the victim drink plenty of water, induce vomiting. Immediately call in physician.

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours.

The following may develop in event of fire: sulfur oxides, mercury vapours.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

Notes for safe handling:

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols.

Storage:

Tightly closed in a well-ventilated place. Accessible only for authorised persons. Storage temperature: no restrictions.

The data apply to the entire pack.

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Küvettenreagenz

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:
Glove material: viton
Layer thickness: 0.70 mm
Breakthrough time: > 480 Min.

In splash contact:
Glove material: nitrile rubber
Layer thickness: 0.40 mm
Breakthrough time: > 30 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 890 Vitoject® (full contact), 730 Camatril® -Velours (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Industrial hygiene:

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood . Do not inhale substance.

9. Physical and chemical properties

Form:	liquid
Colour:	orange red
Odour:	odourless
pH value	(20 °C) < 0.5
Melting point	not available
Boiling point	not available
Ignition temperature	not available
Flash point	not available
Explosion limits	lower not available upper not available
Density	(20 °C) ~ 1.81 g/cm ³
Solubility in water	(20 °C) soluble (caution ! development of heat)
Thermal decomposition	> 338 °C

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No.	250 302
Product name:	WTW-PL cell test COD C1/25 250302 Küvettenreagenz

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, nitrides, organic nitro compounds, anilines, peroxides, picrates, lithium silicide.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

has a corrosive effect;
incompatible with metals, animal/vegetable tissues.

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Property that must be anticipated on the basis from the components of the preparation:

After inhalation of aerosols: damage to the affected mucous membranes.

After skin contact: severe burns with formation of scabs.

After eye contact: burns, corneal lesions.

After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea.

After a latency period of several weeks possibly pyloric stenosis.

Other notes: Danger of skin absorption. Danger of cumulative effects.

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

Further data

Further hazardous properties cannot be excluded.

The product should be handled with the care usual when dealing with chemicals.

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Küvettenreagenz

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Biological effects:

Harmful effect on aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms.

Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form.

Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/l/24 h (calculated on the pure substance).

The following applies to the water-soluble matter contained in inorganic Hg compounds in general (tested with mercury(II) chloride): Leuciscus idus LC₅₀: 0.5 mg/l (48h), Daphnia magna EC₅₀: 0.005-3,6 mg/l (48h), Chlorella pyrenoidosa EC₅₀: 0.3 mg/l (5h), Pseudomonas fluorescens IC₅₀: 0.005 mg/l. The toxicity of mercury(II) ions for water organisms depends on the water hardness [source: IPCS].

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID

UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

UN 3316 CHEMICAL KIT, 9, II

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK !

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Küvettenreagenz

15. Regulatory information

Labelling according to EC Directives

Symbol:	T	Toxic
R-phrases:	23/24/25-33-35-52/53	Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases:	26-36/37/39-45	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
contains:	Mercury(II) sulphate Sulphuric acid	

16. Other information

Text of any R phrases referred to under heading 2:

26/27/28	Very toxic by inhalation, in contact with skin and if swallowed.
33	Danger of cumulative effects.
35	Causes severe burns.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Reduced labelling on the container due to small quantity.

Reason for alteration

General update.

Contact for information:

Merck KGaA * D-64271 Darmstadt * Tel. 06151/72-6969

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue:
Supersedes edition of

07.11.2005
22.10.2003

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Blindwert-Simulationsreagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: WTW * D-82362 Weilheim * Tel. 0881 / 183-0
FAX 0881 / 1748
Emergency telephone No.: +49 (0)6151/722440 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Aqueous sulfuric acid solution of inorganic compounds.

Hazardous ingredients:

Name according to EC Directives:

CAS-No.	EC No.	EC-Index-No.	Classification	Content:
Sulphuric acid 7664-93-9	231-639-5	016-020-00-8	C; R35	≥ 5 - < 15 %

(Full text of R-Phrases in heading 16)

3. Hazards identification

Irritating to eyes and skin.

4. First aid measures

After inhalation: fresh air.
After skin contact: wash off with plenty of water. Remove contaminated clothing.
After eye contact: rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist.
After swallowing: make victim drink plenty of water, call in physician.

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Blindwert-Simulationsreagenz

5. Fire-fighting measures

Suitable extinguishing media:
In adaption to materials stored in the immediate neighbourhood.

Special risks:
Non-combustible. Ambient fire may liberate hazardous vapours.
The following may develop in event of fire: sulfur oxides.

Special protective equipment for fire fighting:
Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:
Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:
Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures:
Do not allow to enter sewerage system.

Procedures for cleaning / absorption:
Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed in a well-ventilated place. Accessible only for authorised persons. Storage temperature: no restrictions.

The data apply to the entire pack.

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Blindwert-Simulationsreagenz

Hand protection:

In full contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

In splash contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 741 Dermatrill® L (full contact), 741 Dermatrill® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Industrial hygiene:

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

9. Physical and chemical properties

Form:	liquid	
Colour:	yellowish	
Odour:	odourless	
pH value	(20 °C)	< 1
Melting point		not available
Boiling point		not available
Ignition temperature		not available
Flash point		not available
Explosion limits	lower	not available
	upper	not available
Density	(20 °C)	1.06 g/cm ³
Solubility in water	(20 °C)	soluble (development of heat)

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No.	250 302
Product name:	WTW-PL cell test COD C1/25 250302 Blindwert-Simulationsreagenz

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkaline earth compounds, alkalis, acids, metals, metal alloys, combustible substances, CrO₃, halogenates, permanganates.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

has a corrosive effect;
incompatible with metals.

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

The following statements refer to the toxicological chief component of the preparation:

After inhalation of vapours: irritative symptoms in the respiratory tract.

After skin contact: severe irritations.

After eye contact: corneal destruction.

After swallowing: damage of the oral, oesophageal, and gastric mucous membranes. Perforation of the oesophagus frequently occurs. Circulatory collapse may occur after 1-2 hours.

Further data

Further hazardous properties cannot be excluded.

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms.

Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form.

Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/l/24 h (calculated on the pure substance).

Do not allow to enter waters, waste water, or soil!

Merck Safety Data Sheet

According to EC Directive 91/155/EEC

Order-No. 250 302
Product name: WTW-PL cell test COD C1/25 250302
Blindwert-Simulationsreagenz

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID
UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code
UN 3316 CHEMICAL KIT, 9, II
Ems F-A S-P

Air CAO, PAX
UN 3316 CHEMICAL KIT, 9, II

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.
THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK !

15. Regulatory information

Labelling according to EC Directives

Symbol:	Xi	Irritant
R-phrases:	---	
S-phrases:	---	

16. Other information

Text of any R phrases referred to under heading 2:

35 Causes severe burns.

Reduced labelling on the container due to small quantity.

Reason for alteration

General update.

Contact for information:

Merck KGaA * D-64271 Darmstadt * Tel. 06151/72-6969

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.